

# MAPP GAS & MAPTOR / WELDING TORCH
















### CHARACTERISTIC

- Use together with welding torch, the combustion temperature can reach 1300°C under anaerobic conditions.
- Easy installation & hand held.
- Burns hotter than propane and natural gas.
- Torching no bivinyl and allene, no threat for health, environmental protection.

## **WELDING TORCH**

| COMPONENT PARTS |                    |                 |  |  |  |
|-----------------|--------------------|-----------------|--|--|--|
| ITEM            | PARTS              | MATERIAL        |  |  |  |
| 1               | Burner Tube        | Stainless Steel |  |  |  |
| 2               | Swivel             | Stainless Steel |  |  |  |
| 3               | Protect Cap        | Plastic         |  |  |  |
| 4               | Connection Fitting | Brass           |  |  |  |

# MAPP GAS

| COMPONENT PARTS |            |          |  |  |  |
|-----------------|------------|----------|--|--|--|
| ITEM            | PARTS      | MATERIAL |  |  |  |
| 1               | Body       | Steel    |  |  |  |
| 2               | Tag        | Paper    |  |  |  |
| 3               | Bottle Cap | Plastic  |  |  |  |

### STANDARD SPECIFICATIONS

| SKU    | DESCRIPTION                               | H<br>(mm) | d<br>(mm) | NET WEIGHT | GROSS<br>WEIGHT<br>(kg) |
|--------|---|-----------|-----------|------------|-------------------------|
| MAPGAS | Mapp Gas ( Methyl Acetylene & Propadiene) | 280       | 73        | 16.0 oz    | 0.80                    |
| MAPTOR | Welding Torch                             | 205       | 30        | 0.322kg    | 0.400                   |